

MATERIAL DATA SHEET

KOVAX EUROPE B.V.

Getfertweg 290-4
7512 BG Enschede
The Netherlands

Tel: +31 (0) 53 - 434 31 31
Fax: +31 (0) 53 - 430 49 00

DATE REVISED, January 01, 2008

I. GENERAL INFORMATION

PRODUCT: Touch-Up Cushion Pad 31 mm

PART#: 971-0024

CHEMICAL NAME & SYNONYMS:

Urethane Foam, Binding System

CHEMICAL FAMILY:

N/A

PROPER DOT SHIPPING

N/A

TRADE NAME & SYNONYMS:

Touch-Up Cushion Pad, Touch-Up Urethane Foam Pad 31 mm

FORMULA:

N/A

DOT HAZARD CLASSIFICATION:

Not Restricted

II. INGREDIENTS

CHEMICAL NAME	%	COMMON NAME	REG	CAS. #	THRESHOLD LIMIT VALUE (UNITS)	CARCINOGEN
Material	75	Urethane Foam	N			N
Binding System	25	Mixture	N			N

III. PHYSICAL DATA

BOILING POINT: (F) N/A	SPECIFIC GRAVITY: (H₂O=1) N/A
VAPOR PRESSURE: (mm Hg) N/A	PERCENT VOLATILE BY VOLUME: (%) N/A
VAPOR DENSITY: (Air=1) N/A	EVAPORATION RATE: (=1) N/A
SOLUBILITY IN WATER: N/A	PH: N/A
APPEARANCE & ODOR: Urethane foam pad.	

IV. FIRE & EXPLOSION HAZARD DATA

FLASH POINT (TEST METHOD): N/A
AUTO IGNITION TEMPERATURE: N/A
LEL: N/A
UEL: N/A
FLAMMABLE LIMITS: N/A
EXTINGUISHING MEDIA: N/A
SPECIAL FIRE FIGHTING PROCEDURES: Use respiratory protection.
UNUSUAL FIRE & EXPLOSION HAZARDS: Urethane foam will burn or decompose.

V. HEALTH HAZARD DATA

PRODUCT: Touch-Up Cushion Pad 31 mm

PART#: 971-0024

Threshold Value:

N/A

OSHA Threshold Limit Value:

N/A

ACGIH Threshold Limit Value:

N/A

Carcinogen - NTP Program:

N/A

Carcinogen - IARC Program:

N/A

SYMPTOMS OF EXPOSURE

Coughing, shortness of breath, chronic dust may affect breathing capacity.

May cause skin abrasion, eye irritation

Medical Conditions Aggravated by Exposure: N/A

Primary Routes of Entry: Inhalation, Ingestion, Skin, Eye

EMERGENCY FIRST AID:

INHALATION: Remove to fresh air, apply artificial respiration as needed. Obtain first aid or medical assistance.

INGESTION: Obtain first aid or medical assistance if needed. **SKIN:** Obtain first aid or medical assistance if needed.

EYE: Wash with large amounts of water. Obtain first aid or medical assistance if needed.

VI. REACTIVITY DATA

STABILITY: Stable

CONDITIONS TO AVOID: N/A

INCOMPATIBILITY: N/A

MATERIALS TO AVOID: N/A

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: N/A

HAZARDOUS DECOMPOSITION PRODUCTS: In use, dust and decomposing resin system fumes are generated.

VII. ENVIRONMENTAL PROTECTION PROCEDURE

SPILL RESPONSE: Normal clean up procedure.

WASTE DISPOSAL METHOD: Standard landfill methods consistent with applicable federal, state & local laws.

VIII. SPECIAL PROTECTION INFORMATION

EYE PROTECTION: Recommended.

SKIN PROTECTION: Gloves if desired.

RESPIRATORY PROTECTION:

VENTILATION RECOMMENDED: LOCAL: recommended.

As needed, approved dust respirator.

MECHANICAL: recommended.

OTHER PROTECTION:

OTHER: NAIF

Measures to be taken during repair and maintenance of contaminated equipment that has been in contact with this material: SEE Section VI, VII, VIII.

IX. SPECIAL PRECAUTIONS

HYGIENIC PRACTICES IN HANDLING & STORAGE: Handle with adequate ventilation.

PRECAUTIONS FOR REPAIR & MAINTENANCE OF CONTAMINATED EQUIPMENT: N/A

OTHER PRECAUTIONS: N/A

X. PRODUCT APPLICATION

PRODUCT: Touch-Up Cushion Pad 31 mm

PART#: 971-0024

FIELD OF APPLICATION: Automotive, industry, yacht building

PRODUCT APPLICATION: The product is used for touch-up sanding (35 mm), to remove contamination and imperfections in the clear coat. It is the final step before polishing.

USAGE INSTRUCTION: Only for sanding with Super tack sanding paper.

MECHANICAL SANDING: Use the pad in combination with touch-up pad 910-3501-44, touch-up sander for imperfections (910-3501) and Buflex discs green 194-1502 (+/- P2500) and black 194-1501 (+/- P3000).

MANUAL SANDING: Use the pad in combination with finger pad 971-0023, Buflex green (194-1502) and black (194-1501).

REMARK: It is important to work according to the usage instruction. It describes the right combination of pad and sanding paper, with which you will obtain the optimal sanding result.

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof.

Vendor assumes no responsibility for injury to vendee or third persons proximately caused material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, vendor assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in his use of the material.